A few Magration Hotes. I wring the carly spring months of this year of was engaged in shahing the brok of the Verdigie vally in Southin Kousas. and in my work certain points in regard to migration struct my attention. On the first Alaprid and on tier or thru days previous, a secured specimens of the Blue-gray qualcatchy Black- throated grun Weirblus and Black and white Worth, Thise chates seemed to some to be expceptionally early and on comparing them with the migration notes of the observes in the Mississippi vally of formal thise facts to be true; first that this birds had arrived there before they had even reached the lower gulf States in one case, and in all averaged fifthing days earlier: Second that by tracing Ithe Idne birds orrhand through Texas the dates agreed perfectly, considering the distance intervening, with the dates of of a number of observers, det therefore summed to me that certain buck reached the Ouroligies vally by the overland route. These however send in munter as usually several days or serve wills might julervery before the species was again sungand these latter dated agreed perfectly with other from arkansas and other parts of Kansas. The two lines of magnation probably converged at the frint where the Revolugies Blindsoned The arlaneas in the territory and from there

some the same as the Veroligins formes the natural pathway northward from that point on the great body of birds however come without doubt from the Mississippi vally: Class Exercise Alex WEhmore
College Rhetoric 9: 609/1/2
How. 21, 1905.